



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
WASHINGTON, D.C. 20231  
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/821,505	03/30/2001	Ronald B. Foster	1610-2002

CONFIRMATION NO. 4889

## FORMALITIES LETTER



\*OC000000006137928\*

Michael T. Konczal  
Navarro IP Law Group  
Suite 655  
801 E. Campbell Rd.  
Richardson, TX 75081

Date Mailed: 06/01/2001

## NOTICE TO FILE CORRECTED APPLICATION PAPERS

*Filing Date Granted*

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
  - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

*Shawie*  
Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE

**ODWIN WHITE GRUBER**

ARTHUR I. NAVARRO  
Direct Dial: 972.238.7160  
anavarro@godwinwhitegruber.com

ATTORNEYS  
A Professional Corporation

TELECOM CORRIDOR®  
801 E. Campbell Road, Suite 655  
Richardson, Texas 75081-1890  
972.238.7160  
972.238.7013 Fax

DALLAS  
214.939.4400

godwinwhitegruber.com

July 30, 2001



Assistant Commissioner for Patents  
Washington, D.C. 20231

Re: Patent Application For:  
**"Planar Substrate-Based Fuel Cell Membrane  
Electrode Assembly and Integrated Circuit"**  
Attorney Docket # 1610-2002  
Our File: 50014.2002 (Prior File No.: 1190-2002)

Dear Sir:

Enclosed for filing please find the following items relating to the above-identified application:

- (1) Response to Notice to File Corrected Application Papers;
- (2) Copy of Notice to File Corrected Application Papers;
- (3) Formal Figures; and
- (4) Postcard.

Please return the date-stamped postcard to the corresponding address as indicated. In the meantime, if you have any questions or comments concerning this matter, please call the undersigned. Otherwise, please accept the enclosed.

Sincerely,

Arthur I. Navarro  
Registration No.: 40,744

AIN:tvz  
Enclosure  
cc: Ron Foster

S:\CLIENTS\Foster, Ron - 50014\50014.2002\Formal Figures Transmittal.wpd



#3

#3

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Application of:

Ronald B. Foster

Serial No: 09/821,505

Filed: March 30, 2001

For: **PLANAR SUBSTRATE-BASED FUEL CELL MEMBRANE ELECTRODE  
ASSEMBLY AND INTEGRATED CIRCUITRY"**

Docket No. 1610-2002

Art Unit: 1745

Examiner: \*\*\*\*

**RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS**

Ass't Commissioner for Patents

Washington, DC 20231

Dear Sir:

**MAILING CERTIFICATE UNDER 37 C.F.R. §1.8(a)**

I hereby certify that the above correspondence is being deposited with the U.S. Postal Service as First Class Mail in an envelope addressed to: Ass't Commissioner for Patents, Washington, D.C. 20231 by the person and on the date indicated below.

7-30-01


Date

Theresa Van Zandt  
Theresa Van Zandt

In response to Notice to File Corrected Application Papers dated June 1, 2001,  
please find enclosed formal drawings on the above referenced case.

If you have any questions please contact the attorney below.

Respectfully submitted,



Arthur I. Navarro  
Attorney for Applicant(s)  
Reg. No. 40,744

Navarro IP Law Group, P.C.  
801 E. Campbell Rd. Suite 655  
Richardson, TX 75081  
(972) 238-7160 - tel  
(972) 238-7013 - fax